FORM PTO-1449/A and B (modified PTO/SB/08)	APPLICATION NO.: 10/613,524	ATTY. DOCKET NO.: C1037.70042US00		
INFORMATION DISCLOSURE	FILING DATE: July 3, 2003	CONFIRMATION NO.: 4728		
STATEMENT BY APPLICANT	APPLICANT: Krieg et al.			
Sheet 1 of 12	GROUP ART UNIT: 1645	EXAMINER: Oluwatosin A. Ogunbiyi		

xaminer's	Cite	U.S. Patent Document	Kind	Name of Patentee or Applicant of Cited	Date of Publication or Issue of Cited Document
MABEMAN	No.	Number	Code	Document	MM-DD-YYYY
	A156	4,806,463		Goodchild et al.	02-21-1989
	A157	5,004,810		Draper	04-02-1991
	A158	5,166,195		Ecker	11-24-1992
	A159	5,194,428		Agrawal et al.	03-16-1993
	A160	5,264,423		Cohen et al.	11-23-1993
	A161	5,276,019		Cohen et al.	01-04-1994
	A162	5,416,203		Letsinger	05-16-1995
	A163	5,780,448		Davis	07-14-1998
	A164	6,589,940	B1	Raz et al.	07-08-2003
	A165	6,610,308	B1	Haensler	08-26-2003
	A166	6,749,856	B1	Berzofsky et al.	06-15-2004
	A167	6,835,395	B1	Semple et al.	12-28-2004
	A168	6,852,705	B2	Audonnet et al.	02-08-2005
	A169	7,223,741	B2	Krieg	05-29-2007
	A170	7,271,156	B2	Krieg et al.	07-18-2007
	A171	7,303,881	B2	Huang et al.	12-04-2007
	A172	7,354,711	B2	Macfarlane	04-08-2008
	A173	7,354,909	B2	Klinman et al.	04-08-2008
	A174	7,402,5 <b>7</b> 2	B2	Krieg et al.	07-22-2008
-	A175	7,410,975	B2	Lipford et al.	08-12-2008
-	A176	2002-0065236	A1	Yew et al.	05-30-2002
	A177	2002-0142977	A1	Raz et al.	10-03-2002
	A178	2002-0151518	A1	Agrawal et al	10-17-2002
	A179	2002-0168340	A1	Agrawal	11-14-2002
	A180	2003-0032443	A1	Johnson et al.	02-13-2003
	A181	2003-0119773	<b>A</b> 1	Raz et al.	06-26-2003
	A182	2003-0125279	<b>A</b> 1	Junghans et al.	07-03-2003
	A183	2003-0129605	A1	Yu et al.	07-10-2003
	A184	2003-0176389	A1	Raz et al.	09-18-2003
	A185	2003-0212029	Al	Agrawal et al.	11-13-2003
		0000 000 0010		l 73	40.04.0000

EXAMINER:	DATE CONSIDERED:	
i e e e e e e e e e e e e e e e e e e e		

Fearon et al.

Bennett et al.

12-04-2003

12-18-2003

Al

Al

2003-0225016

2003-0232443

A186

A187

<sup>#</sup> EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

FORM PTO-	1449/A an	d B (modifie	d PTO/SB/08)	APPLICA	ATION NO.: 10/613,524	ATTY. DO	CKET NO.: C1037.7	0042US00	
			·	FILING I	DATE: July 3, 2003	CONFIRM	ATION NO.: 4728		
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICA	ANT: Krieg et al.		····			
Sheet	2	of	12	GROUP.	ART UNIT: 1645	EXAMINE	R: Oluwatosin A. O	gunbiyi	
L_				<u> </u>					
	A188	2004-000	6010	A1	Carson et al.		01-08-2004		
	A189	2004-000	6034	A1	Raz et al.		01-08-2004		
	A190	2004-009	2468	A1	Schwartz et al.		05-13-2004		
	A191	2005-007	9152	Al	Bot et al.		04-14-2005		
	A192	2005-015	9351	A1	Grate et al.		07-21-2005		
	A193	2005-020	9184	A1	Klinman et al.		09-22-2005		
	A194	2006-028	6070	A1	Hartmann et al.		12-21-2006		
	A195	2006-028	7263	A1	Davis et al.		12-21-2006		
	A196	2007-000	9482	A1	Krieg et al.		01-11-2007		
	A197	2007-001	0470	A1	Krieg et al.		01-11-2007		
	A198	2007-003	7767	A1	Bratzler et al.		02-15-2007		
	A199	2007-006		A1	Krieg et al.		03-22-2007		
	A200	2007-0066550		A1	Diener et al.		03-22-2007		
	A201		2007-0066553		Krieg et al.		03-22-2007		
	A202	2007-006		A1	Krieg et al.		03-22-2007		
	A203	2007-007		A1	Krieg et al.		04-05-2007		
	A204	2007-012		A9	Davis et al.		06-07-2007		
	A205	2007-014		A1	Forsbach et al.		06-21-2007		
	A206	2007-018		A1	Wagner et al. Krieg et al.		08-09-2007 08-30-2007		
	A207	2007-020		A1					
	A208	2007-022		A1	Krieg et al.		09-27-2007		
<del></del>	A209	2007-023		A1	Lipford et al.		10-04-2007		
	A210	2008-000		A9	Krieg et al.		01-10-2008		
	A211	2008-002		A1	Krieg et al.		01-31-2008		
	A212	2008-003		Al	Krieg et al.		02-07-2008		
	A213	2008-004		Al	Uhlmann et al.		02-21-2008		
	A214_	2008-011		Al	Lipford et al.	·	05-15-2008		
	A215	2008-014		<del></del>	A1 Wettstein et al.		06-19-2008		
	A216	2008-022	6649	Al	Schetter et al.		09-18-2008		
		· _			ON PATENT DOCUMENTS				
Examiner's Initials #	Cite No.	Office/ Country	eign Patent Docur Number	Kind Code	Name of Patentee or Appli Document	cant of Cited	Date of Publication of Cited Document MM-DD-YYYY	Translatio (Y/N)	
	B23	EP	1 187 629	A2	Smithkline Beecham Biolog	icals, S.A.	10-26-2000		
	B24	wo	95/03407	A2	Gen-Probe Incorporated		02-02-1995		
		•	•						

EXAMINER:	DATE CONSIDERED:

<sup>#</sup> EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

			•						
FORM PTO-1	449/A and	d B (modifie	d PTO/SB/08)	APPLICA	ATION NO.: 1	0/613,524	ATTY. DOC	KET NO.: C1037.7004	2US00
		•	·	FILING DATE: July 3, 2003 CONFIRMATION NO.: 4728					
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICA	ANT: Krieg et	al.					
Sheet	3	of	12	GROUP	ART UNIT: 1	545	EXAMINER	: Oluwatosin A. Ogun	biyi
							<u></u>		
	B25	WO	99/63975	A2	Biognostik Diagnostik	Gesellschaft Fur Bi MBH	omolekular	12-16-1999	
	B26	WO	00/14217	A3	CpG Immur	oPharmaceuticals	GmbH	03-16-2000	
	B27	WO	00/67023	A1	GpG Immu	noPharmaceuticals	GmbH	11-09-2000	
	B28	WO	02/069369	A2	Coley Pharr	naceutical Group, l	inc.	09-06-2002	
	B29	WO	03/094963	A2	INEX Pharm	naceuticals Corp.		11-20-2003	
	B30	WO	2004/012669	A2	The Govern	ment of the United	States	02-12-2004	
	B31	WO	2004/016805	A2	Coley Pharr	naceutical Group, l	inc.	02-26-2004	
	B32	WO	2004/039829	A2	Coley Pharr	naceutical Group, l	Ltd	05-13-2004	
	B33	WO	2004/087203	A2	Coley Pharr	naceutical Group, l	Ltd.	10-14-2004	
	B34	WO	2006/080946	A2	Coley Phar	naceutical GmbH		08-03-2006	
	B35	WO	2007/031877	A2	Coley Pharr	naceutical GmbH		03-22-2007	
	B36	WO	2007/038720	A2	Coley Pharr	naceutical GmbH		04-05-2007	
	B37	wo	2008/030455	A2	Coley Phar	naceutical Group, l	Inc.	03-13-2008	
	B38	wo	2008/033432						
	B39	wo	2008/039538	A2		naceutical Group, l		04-03-2008	
,	B40	wo	2008/068638	A2	<del> </del>	naceutical GMBH		06-12-2008	
	B41	WO	2008/139262	A2	i i	naceutical GMBH		11-20-2008	
		<del></del>	ALC: YES	المعادد دعا			12:422	<u> </u>	
_	r					ERATURE DOCU		Aid Cab - id (b b	T1-4
Examiner's Initials	Cite No				atalog, etc.), dat			title of the item (book, mber(s), publisher, eity	Translati on (Y/N)
	C95	Strategy".				cal Group Updates			
						Group Announces			
	C96	Clinical I   Lung Can		2676 Com	bined with Cy	totoxic Chemother	apy in Advan	ced Non Small Cell	
				)101 HCV	Toll-Receptor	or 9 Antagonist Pha	se II Study Re	esults. 57 <sup>th</sup> Annual	
	C97							311, 2006. Boston,	
		MA. 9 pa							
	C98					512676. Drugs R D			
	C99	AGRAWAL et al., Antisense therapeutics: is it as simple as complementary base recognition? Mol Med Today. 2000 Feb;6(2):72-81.							
	C100	following	AGRAWAL et al., Chapter 19: Pharmacokinetics and bioavailability of antisense oligonucleotides following oral and colorectal administrations in experimental animals. 1998:525-43.						
	C101	subcutane	ously to healthy	subjects.	ICI FOCIS 20		•		
	C102	ANITESO	CU et al., Interleu	kin-10 fur	nctions in vitre	and in vivo to inh		DNA-induced	
						Res. 1997 Dec;17(1		(2)-222 27	
	C103	AUKI et a	ai., Use of cytokii	nes in inte	ction. Expert	Opin Emerg Drugs	. ZUU4 NOV;9	(2):223-30.	
EXAMINER:					DA	TE CONSIDERED:			

<sup>\*</sup>EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

FORM PTO	FORM PTO-1449/A and B (modified PTO/SB/08)				APPLICATION NO.: 10/613,524	ATTY. DOCKET NO.: C1037.70042US00
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT			FILING DATE: July 3, 2003	CONFIRMATION NO.: 4728	
			APPLICANT: Krieg et al.			
					GROUP ART UNIT: 1645	EXAMINER: Oluwatosin A. Ogunbiyi
Sheet		4	of	12	GROOF ART UNIT. 1043	EAAWINER. Oldwalosiii A. Ogulioiyi

C104	AUF et al., Implication of macrophages in tumor rejection induced by CpG-oligodeoxynucleotides without antigen. Clin Cancer Res. 2001 Nov;7(11):3540-3.	
C105	BALLAS et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. J Immunol. 1996 Sep 1;157(5):1840-5.	
C106	BAUER et al., DNA activates human immune cells through a CpG sequence-dependent manner. Immunology. 1999 Aug;97(4):699-705.	
C107	BAUER et al., Human TLR9 confers responsiveness to bacterial DNA via species-specific CpG motif recognition. Proc Natl Acad Sci U S A. 2001 Jul 31;98(16):9237-42.	
C108	BIBBY, Orthotopic models of cancer for preclinical drug evaluation: advantages and disadvantages.  Eur J Cancer. 2004 Apr;40(6):852-7.	
C109	BOGGS et al., Characterization and modulation of immune stimulation by modified oligonucleotides.  Antisense Nucleic Acid Drug Dev. 1997 Oct;7(5):461-71.	
C110	BOHN et al., Ambiguous role of interleukin-12 in Yersinia enterocolitica infection in susceptible and resistant mouse strains. Infect Immun. 1998 May;66(5):2213-20.	
C111	CHACE et al., Bacterial DNA-induced NK cell IFN-gamma production is dependent on macrophage secretion of IL-12. Clin Immunol Immunopathol. 1997 Aug;84(2):185-93.	
C112	CONNELL et al., Anti-tumor activity of a CpG-containing oligodeoxynucleotide (ODN) in athymic mice. American Assn Cancer Reseach. March 1999;40:Abstract 1982.	
C114	COOPER et al., CPG 7909 adjuvant improves hepatitis B virus vaccine seroprotection in antiretroviral-treated HIV-infected adults. AIDS. 2005 Sep 23;19(14):1473-9.	
C114	COWDERY et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and increases the toxicity of lipopolysaccharides. J Immunol. 1996 Jun 15;156(12):4570-5.	
C115	DAVIS, Use of CpG DNA for enhancing specific immune responses. Curr Top Microbiol Immunol. 2000;247:171-83.	
C116	DENG et al., CpG oligodeoxynucleotides stimulate protective innate immunity against pulmonary Klebsiella infection. J Immunol. 2004 Oct 15;173(8):5148-55.	
C117	DIWAN et al., Enhancement of immune responses by co-delivery of a CpG oligodeoxynucleotide and tetanus toxoid in biodegradable nanospheres. J Control Release. 2002 Dec 13;85(1-3):247-62.	
C118	ECKSTEIN, Phosphorothioation of DNA in bacteria. Nat Chem Biol. 2007 Nov;3(11):689-90.	
C119	GOLDBERG et al., Beyond danger: unmethylated CpG dinucleotides and the immunopathogenesis of disease. Immunol Lett. 2000 Jul 3;73(1):13-8.	
C120	HALPERN et al., Bacterial DNA induces murine interferon-gamma production by stimulation of interleukin-12 and tumor necrosis factor-alpha. Cell Immunol. 1996 Jan 10;167(1):72-8.	
C121	HARANDI et al., A protective role of locally administered immunostimulatory CpG oligodeoxynucleotide in a mouse model of genital herpes infection. J Virol. 2003 Jan;77(2):953-62.	
C122	HARTMANN et al., CpG DNA and LPS induce distinct patterns of activation in human monocytes.  Gene Ther. 1999 May;6(5):893-903.	
C123	HARTMANN et al., Delineation of a CpG phosphorothioate oligodeoxynucleotide for activating primate immune responses in vitro and in vivo. J Immunol. 2000 Feb 1;164(3):1617-24.	
C124	HARTMANN et al., Identification and functional analysis of tumor-infiltrating plasmacytoid dendritic cells in head and neck cancer. Cancer Res. 2003 Oct 1;63(19):6478-87.	
C125	HARTMANN et al., Mechanism and function of a newly identified CpG DNA motif in human primary B cells. J Immunol. 2000 Jan 15;164(2):944-53.	

EXAMINER:	DATE CONSIDERED:
·	

<sup>#</sup> EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

FORM PTO	FORM PTO-1449/A and B (modified PTO/SB/08)			1 PTO/SR/08)	APPLICATION NO.: 10/613,524	ATTY. DOCKET NO.: C1037.70042US00	
	FORMATION DISCLOSURE		,	FILING DATE: July 3, 2003	CONFIRMATION NO.: 4728		
STATEMENT BY APPLICANT		APPLICANT: Krieg et al.					
					CDOVID ADMYDVID 1645	DVALOUED OL 4 1 4 O. 1111	
Sheet	5		of	12	GROUP ART UNIT: 1645	EXAMINER: Oluwatosin A. Ogunbiyi	

C126	HARTMANN et al., Rational design of new CpG oligonucleotides that combine B cell activation with	
0107	high IFN-alpha induction in plasmacytoid dendritic cells. Eur J Immunol. 2003 Jun;33(6):1633-41.	
C127	HOPKIN et al., Curbing the CpGs of Bacterial and Viral DNA. BioMedNet. 1999 Jun25; Issue 57.	
C128	HORNER et al., Immunostimulatory DNA is a potent mucosal adjuvant. Cell Immunol. 1998 Nov 25;190(1):77-82.	
C129	HUANG et al., Induction and regulation of Th1-inducing cytokines by bacterial DNA, lipopolysaccharide, and heat-inactivated bacteria. Infect Immun. 1999 Dec;67(12):6257-63.	
C130	IHO et al., Oligodeoxynucleotides containing palindrome sequences with internal 5'-CpG-3' act directly on human NK and activated T cells to induce IFN-gamma production in vitro. J Immunol. 1999 Oct 1;163(7):3642-52.	
C131	INFANTE-DUARTE et al., Th1/Th2 balance in infection. Springer Semin Immunopathol. 1999;21(3):317-38.	
C132	ISHII et al., Antitumor therapy with bacterial DNA and toxin: complete regression of established tumor induced by liposomal CpG oligodeoxynucleotides plus interleukin-13 cytotoxin. Clin Cancer Res. 2003 Dec 15;9(17):6516-22.	
C133	JACOBSON et al., Early viral response and on treatment response to CpG 10101 (ACTILON <sup>TM</sup> ), in combination with pegylated interferon and/or ribavirin, in chronic HCV genotype 1 infected patients with prior relapse response. 57 <sup>th</sup> Annual Meeting of American Association for the Study of the Liver Diseases (AASLD). 2006 Oct 30, Boston, Massachusetts; Presented Abstract #96.	
C134	JIANG et al., Enhancing immunogenicity by CpG DNA. Curr Opin Mol Ther. 2003 Apr;5(2):180-5.	
C135	JIANG et al., Synthetic vaccines: the role of adjuvants in immune targeting. Curr Med Chem. 2003 Aug;10(15):1423-39.	
C136	KANDIMALLA et al., Secondary structures in CpG oligonucleotides affect immunostimulatory activity. Biochem Biophys Res Commun. 2003 Jul 11;306(4):948-53.	
C137	KELLAND et al., Of mice and men: values and liabilities of the athymic nude mouse model in anticancer drug development. Eur J Cancer. 2004 Apr;40(6):827-36.	
C138	KIM et al., Prognostic implication of aberrant promoter hypermethylation of CpG islands in adenocarcinoma of the lung. J Thorac Cardiovasc Surg. 2005 Nov;130(5):1378. Epub 2005 Oct 13.	
C139	KIM et al., TLR9 Agonist Immunomodulator Treatment of Cutaneous T-cell Lymphomas (CTCL) with CPG7909. Blood. 2004 Nov16;104(11):Abstract #743.	
C140	KIMURA et al., Binding of oligoguanylate to scavenger receptors is required for oligonucleotides to augment NK cell activity and induce IFN. J Biochem (Tokyo). 1994 Nov;116(5):991-4.	
C141	KLINE et al., DNA therapy for asthma. Curr Opin Allergy Clin Immunol. 2002 Feb;2(1):69-73.	
C142	KLINE et al., Modulation of airway inflammation by CpG oligodeoxynucleotides in a murine model of asthma. J Immunol. 1998 Mar 15;160(6):2555-9.	
C143	KLINE et al., Treatment of established asthma in a murine model using CpG oligodeoxynucleotides.  Am J Physiol Lung Cell Mol Physiol. 2002 Jul;283(1):L170-9.	
C144	KLINMAN et al., Contribution of CpG motifs to the immunogenicity of DNA vaccines. J Immunol. 1997 Apr 15;158(8):3635-9.	
C145	KLINMAN et al., CpG motifs present in bacteria DNA rapidly induce lymphocytes to secrete interleukin 6, interleukin 12, and interferon gamma. Proc Natl Acad Sci U S A. 1996 Apr 2;93(7):2879-83.	
C146	KLINMAN et al., Immunotherapeutic uses of CpG oligodeoxynucleotides. Nat Rev Immunol. 2004 Apr;4(4):249-58.	

EXAMINER:	DATE CONSIDERED:
·	

<sup>\*</sup>EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

FORM PTO	D-1449/A and B (r	nodified	PTO/SR/08)	APPLICATION NO.: 10/613,524	ATTY. DOCKET NO.: C1037.70042US00	
	·		,	FILING DATE: July 3, 2003	CONFIRMATION NO.: 4728	
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT			APPLICANT: Krieg et al.		
Sheet 6 of 12		GROUP ART UNIT: 1645	EXAMINER: Oluwatosin A. Ogunbiyi			

C147	KNIPE et al., eds., Fields' Virology. 2001;1:1004-16.	
C148	KNIPE et al., eds., Fields' Virology. 2001;1:1564.	
	KOVARIK et al., CpG oligodeoxynucleotides can circumvent the Th2 polarization of neonatal	
C149	responses to vaccines but may fail to fully redirect Th2 responses established by neonatal priming. J	
	Immunol. 1999 Feb 1;162(3):1611-7.	
	KRANZER et al., CpG-oligodeoxynucleotides enhance T-cell receptor-triggered interferon-gamma	
C150	production and up-regulation of CD69 via induction of antigen-presenting cell-derived interferon type I	
3.33	and interleukin-12. Immunology. 2000 Feb;99(2):170-8.	
	KRIEG et al., A role for endogenous retroviral sequences in the regulation of lymphocyte activation. J	
C151	Immunol. 1989 Oct 15;143(8):2448-51.	
	KRIEG et al., Causing a commotion in the blood: immunotherapy progresses from bacteria to bacterial	
C152	DNA. Immunol Today. 2000 Oct;21(10):521-6.	
	KRIEG et al., Chapter 17:Immune Stimulation by Oligonucleotides. In Antisense Drug Tech.	
C153	2001;1394:471-515.	
	KRIEG et al., Chapter 8: Immune Stimulation by Oligonucleotides. In: Antisense Research and	
C154		
	Application. Crooke, Ed. 1998:243-62.	
C155	KRIEG et al., CpG DNA induces sustained IL-12 expression in vivo and resistance to Listeria	
01.56	monocytogenes challenge. J Immunol. 1998 Sep 1;161(5):2428-34.	
C156	KRIEG et al., CpG DNA: a novel immunomodulator. Trends Microbiol. 1999 Feb;7(2):64-5.	
C157	KRIEG et al., CpG motifs in bacterial DNA and their immune effects. Annu Rev Immunol.	
	2002;20:709-60.	
C158	KRIEG et al., CpG motifs in bacterial DNA trigger direct B-cell activation. Nature. 1995 Apr	
0.50	6;374(6522):546-9.	
C159	KRIEG et al., Direct immunologic activities of CpG DNA and implications for gene therapy. J Gene	
0.137	Med. 1999 Jan-Feb;1(1):56-63.	
C160	KRIEG et al., How to exclude immunostimulatory and other nonantisense effects of antisense	
C100	oligonucleotides. Manual of Antisense. 1999:79-89.	
C161	KRIEG et al., Immune effects and therapeutic applications of CpG motifs in bacterial DNA.	
Clui	Immunopharmacology. 2000 Jul 25;48(3):303-5.	
	KRIEG et al., Induction of systemic TH1-like innate immunity in normal volunteers following	
C162	subcutaneous but not intravenous administration of CPG 7909, a synthetic B-class CpG	
	oligodeoxynucleotide TLR9 agonist. J Immunother. 2004 Nov-Dec;27(6):460-71.	
C163	KRIEG et al., Infection. In: McGraw Hill Book. 1996:242-3.	
0144	KRIEG et al., Leukocyte stimulation by oligodeoxynucleotides. In: Applied Antisense Oligonucleotide	
C164	Technology. 1998:431-48.	
	KRIEG et al., Lymphocyte activation by CpG dinucleotide motifs in prokaryotic DNA. Trends	
C165	Microbiol. 1996 Feb;4(2):73-6.	
10.7	KRIEG et al., Lymphocyte activation mediated by oligodeoxynucleotides or DNA containing novel un-	
C166	methylated CpG motifs. American College of Rheumatology 58 <sup>th</sup> National Scientific Meeting.	
0.00	Minneapolis, Minnesota, October 22, 1994. Abstracts. Arthritis Rheum. 1994 Sep;37(9 Suppl).	
C167	KRIEG et al., Mechanism of action of CpG DNA. Curr Top Microbiol Immunol. 2000;247:1-21.	
	KRIEG et al., Mechanisms and applications of immune stimulatory CpG oligodeoxynucleotides.	
C168	Biochim Biophys Acta. 1999 Dec 10;1489(1):107-16.	

EXAMINER:	DATE CONSIDERED:

<sup>#</sup> EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

FORM PTO	0-1449/A and B (m	ndifie	d PTO/SR/08)	APPLICATION NO.: 10/613,524	ATTY. DOCKET NO.: C1037.70042US00	
	·		·	FILING DATE: July 3, 2003	CONFIRMATION NO.: 4728	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				APPLICANT: Krieg et al.		
				CDOVE ADDITION 1645	DY AN (DUED) Observation A. Osserbisis	
Sheet	Sheet 7 of 12		12	GROUP ART UNIT: 1645	EXAMINER: Oluwatosin A. Ogunbiyi	

		KRIEG et al., Modification of antisense phosphodiester oligodeoxynucleotides by a 5' cholesteryl	
C1	169	moiety increases cellular association and improves efficacy. Proc Natl Acad Sci U S A. 1993 Feb	
		1;90(3):1048-52.	
Cı	170	KRIEG et al., Oligodeoxynucleotide modifications determine the magnitude of B cell stimulation by	
		CpG motifs. Antisense Nucleic Acid Drug Dev. 1996 Summer;6(2):133-9.	
l cı	171	KRIEG et al., P-chirality-dependent immune activation by phosphorothioate CpG	
		oligodeoxynucleotides. Oligonucleotides. 2003;13(6):491-9.	
l cı	172	KRIEG et al., Phosphorothioate oligodeoxynucleotides: antisense or anti-protein? Antisense Res Dev.	
		1995 Winter;5(4):241.	
Cı	173	KRIEG et al., Rescue of B cells from apoptosis by immune stimulatory CpG DNA. Springer Semin	
		Immunopathol. 2000;22(1-2):55-61.	
	174	KRIEG et al., Sequence motifs in adenoviral DNA block immune activation by stimulatory CpG	
		motifs. Proc Natl Acad Sci U S A. 1998 Oct 13;95(21):12631-6.	
C1	175	KRIEG et al., The role of CpG dinucleotides in DNA vaccines. Trends Microbiol. 1998 Jan;6(1):23-7.	
C1	176	KRIEG et al., Unmethylated CpG DNA protects mice from lethal listeria monocytogenes challenge.	
	.,,	Vaccines. 1997; 97:77-9.	
C	177	KRIEG, An innate immune defense mechanism based on the recognition of CpG motifs in microbial	
		DNA. J Lab Clin Med. 1996 Aug;128(2):128-33.	
	178	KRIEG, Antiinfective applications of toll-like receptor 9 agonists. Proc Am Thorac Soc. 2007	
C.	170	Jul;4(3):289-94.	
	179	KRIEG, Chapter 7: CpG oligonucleotides as immune adjuvants. Ernst Schering Research Found	
	177	Workshop 2001; 30:105-18.	
C	180	KRIEG, CpG DNA: a pathogenic factor in systemic lupus erythematosus? J Clin Immunol. 1995	
		Nov;15(6):284-92.	
C1	181	KRIEG, Now I know my CpGs. Trends Microbiol. 2001 Jun;9(6):249-52.	
	182	KRIEG, Signal transduction induced by immunostimulatory CpG DNA. Springer Semin	
	102	Immunopathol. 2000;22(1-2):97-105.	
	183	KRIEG, Therapeutic potential of Toll-like receptor 9 activation. Nat Rev Drug Discov. 2006	
	105	Jun;5(6):471-84.	
		KURAMOTO et al., Changes of host cell infiltration into Meth A fibrosarcoma tumor during the course	
C1	184	of regression induced by injections of a BCG nucleic acid fraction. Int J Immunopharmacol. 1992	
		Jul;14(5):773-82.	
	185	KURAMOTO et al., In situ infiltration of natural killer-like cells induced by intradermal injection of	
L	.05	the nucleic acid fraction from BCG. Microbiol Immunol. 1989;33(11):929-40.	
	186	KURAMOTO et al., Oligonucleotide sequences required for natural killer cell activation. Jpn J Cancer	
	100	Res. 1992 Nov;83(11):1128-31.	
	187	LEE et al., Effects of a hexameric deoxyriboguanosine run conjugation into CpG	
C	107	oligodeoxynucleotides on their immunostimulatory potentials. J Immunol. 2000 Oct 1;165(7):3631-9	
	188	LI et al., Effective induction of CD8+ T-cell response using CpG oligodeoxynucleotides and HER-	
	100	2/neu-derived peptide co-encapsulated in liposomes. Vaccine. 2003 Jul 4;21(23):3319-29.	
C	189	LIPFORD et al., Immunostimulatory DNA: sequence-dependent production of potentially harmful or	
I	107	useful cytokines. Eur J Immunol. 1997 Dec;27(12):3420-6.	
C1	190	LIPFORD et al., Bacterial DNA as immune cell activator. Trends Microbiol. 1998 Dec;6(12):496-500.	
Ci	191	MAJOR et al., Chapter 34 Hepatitis C Viruses. in Fields' Virology. 2001; 1:1127-61	

EXAMINER:	DATE CONSIDERED:

<sup>#</sup> EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

FORM PTO	0-1449/A and B (r	modified	PTO/SB/08)	APPLICATION NO.: 10/613,524	ATTY. DOCKET NO.: C1037.70042US00
FORM PTO-1449/A and B (modified PTO/SB/08)  INFORMATION DISCLOSURE				FILING DATE: July 3, 2003	CONFIRMATION NO.: 4728
STATEMENT BY APPLICANT				APPLICANT: Krieg et al.	
				GROUP ART UNIT: 1645	EXAMINER: Oluwatosin A. Ogunbiyi
Sheet	8	of	12	GROUP ART UNIT. 1043	EAAIVIINER. Oldwalosiii A. Oguilolyi

C192	MARSHALL et al., Identification of a novel CpG DNA class and motif that optimally stimulate B cell and plasmacytoid dendritic cell functions. J Leukoc Biol. 2003 Jun;73(6):781-92.	
C193	MARTIN-OROZCO et al., Enhancement of antigen-presenting cell surface molecules involved in cognate interactions by immunostimulatory DNA sequences. Int Immunol. 1999 Jul;11(7):1111-8.	
C194	MASIHI et al., Fighting infection using immunomodulatory agents. Expert Opin Biol Ther. 2001 Jul;1(4):641-53.	
C195	McCLUSKIE et al., Route and method of delivery of DNA vaccine influence immune responses in mice and non-human primates. Mol Med. 1999 May;5(5):287-300.	,
C196	McCLUSKIE et al., The role of CpG in DNA vaccines. Springer Semin Immunopathol. 2000;22(1-2):125-32.	
C197	McCLUSKIE et al., The use of CpG DNA as a mucosal vaccine adjuvant. Curr Opin Investig Drugs. 2001 Jan;2(1):35-9.	
C198	McHUTCHISON et al., Early clinical results with CpG 10101, a new investigational antiviral TLR9 agonist being developed for treatment of subjects chronically infected with hepatitis C virus. 12 <sup>th</sup> International Symposium on Viral Hepatitis and Liver Disease (ISVHLD). 2006 July 3, Paris, France; Presented Abstract #0105.	
C199	McHUTCHISON et al., Early viral response to CpG 10101, in combination with pegylated interferon and/or ribavirin, in chronic HCV genotype 1 infected patients with prior relapse response. 41 <sup>st</sup> Annual Meeting of European Association for the Study of the Liver (EASL). 2006 April 26-30, Vienna, Austria; Submitted Abstract.	
C200	McHUTCHISON et al., Final results of a multi-center phase 1B, randomized, placebo-controlled, dose-escalation trial of CpG 10101 in patients with chronic hepatitis C virus. 41 <sup>st</sup> Annual Meeting of European Association for the Study of the Liver (EASL). 2006 April 30, Vienna, Austria; Presented Abstract #111.	
C201	MESSINA et al., The influence of DNA structure on the in vitro stimulation of murine lymphocytes by natural and synthetic polynucleotide antigens. Cell Immunol. 1993 Mar;147(1):148-57.	
C202	NORMAN et al., Liposome-mediated, nonviral gene transfer induces a systemic inflammatory response which can exacerbate pre-existing inflammation. Gene Ther. 2000;7:1425-30.	
C203	PAYETTE et al., History of vaccines and positioning of current trends. Curr Drug Targets Infect Disord. 2001 Nov;1(3):241-7.	
C204	PETERSON et al., Integrating pharmacology and in vivo cancer models in preclinical and clinical drug development. Eur J Cancer. 2004 Apr;40(6):837-44.	
C205	PISETSKY et al., Stimulation of in vitro proliferation of murine lymphocytes by synthetic oligodeoxynucleotides. Mol Biol Rep. 1993 Oct;18(3):217-21.	
C206	PISETSKY et al., The influence of base sequence on the immunological properties of defined oligonucleotides. Immunopharmacology. 1998 Nov;40(3):199-208.	
C207	PISETSKY, Immunologic consequences of nucleic acid therapy. Antisense Res Dev. 1995 Fall;5(3):219-25.	
C208	PISETSKY, The influence of base sequence on the immunostimulatory properties of DNA. Immunol Res. 1999;19(1):35-46.	
C209	POLANCZYK et al., Immunostimulatory effects of DNA and CpG motifs. Cent Eur J of Immunol. 2000;25(3):160-6.	
C210	RANKIN et al., CpG motif identification for veterinary and laboratory species demonstrates that sequence recognition is highly conserved. Antisense Nucleic Acid Drug Dev. 2001 Oct;11(5):333-40.	

EXAMINER:	DATE CONSIDERED:

<sup>#</sup> EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

EODW DTO	)-1449/A and B (m	odifie	4 PTO/SR/08)	APPLICATION NO.: 10/613,524	ATTY. DOCKET NO.: C1037.70042US00	
FORM PTO-1449/A and B (modified PTO/SB/08)				FILING DATE: July 3, 2003	CONFIRMATION NO.: 4728	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				APPLICANT: Krieg et al.		
				GROUP ART UNIT: 1645	EVAMINED: Olymptosin A Ogunhiyi	
Sheet	9	of	12	GROUP ART UNIT: 1645	EXAMINER: Oluwatosin A. Ogunbiyi	

	C211	READETT et al., PF-3512676 (CPG7909) a Toll-like receptor 9 agonist – status of development for non-small cell lung cancer (NSCLC). Abstract PD3-1-6. Pfizer. 24 Aug. 2007. Poster.	
		RODRIGUEZ et al., Immunostimulatory PyNTTTTGT oligodeoxynucleotides: structural properties	
	C212	and refinement of the active motif. Oligonucleotides. 2006 Fall;16(3):275-85.	
	6010	ROMAN et al., Immunostimulatory DNA sequences function as T helper-1-promoting adjuvants. Nat	
	C213	Med. 1997 Aug;3(8):849-54.	
	6014	ROTHENFUSSER et al., Recent advances in immunostimulatory CpG oligonucleotides. Curr Opin	
	C214	Mol Ther. 2003 Apr;5(2):98-106.	
		RUDGINSKY et al., Antitumor activity of cationic lipid complexed with immunostimulatory DNA.	
	C215	Mol Ther. 2001 Oct;4(4):347-55.	
	-	RYNKIEWICZ et al., Marked enhancement of antibody response to anthrax vaccine adsorbed with	
	C216	CPG 7909 in healthy volunteers. 45 <sup>th</sup> Intersci. Conf. Antimicrob. Agents Chemother. 2005 Sep. 21-24;	
		New Orleans, Louisiana. Meeting Poster.	
		SAIJO et al., What are the reasons for negative phase III trials of molecular-target-based drugs? Cancer	
	C217	Sci. 2004 Oct;95(10):772-6.	
		SAKAO et al., IL-18-deficient mice are resistant to endotoxin-induced liver injury but highly	
	C218	susceptible to endotoxin shock. Int Immunol. 1999 Mar;11(3):471-80.	
		SATO et al., Immunostimulatory DNA sequences necessary for effective intradermal gene	
	C219	immunization. Science. 1996 Jul 19;273(5273):352-4.	
		SATOH et al., Morphological and immunohistochemical characteristics of the heterogeneous prostate-	
C22	C220	like glands (paraurethral gland) seen in female Brown-Norway rats. Toxicol Pathol. 2001 Mar-	
	0220	Apr;29(2):237-41.	
	C221	SCHELLER et al., CpG oligodeoxynucleotides activate HIV replication in latently infected human T	
	C221	cells. J Biol Chem. 2004 May 21;279(21):21897-902. Epub 2004 Mar 11.	
	Cana	SCHEULE, The role of CpG motifs in immunostimulation and gene therapy. Adv Drug Deliv Rev.	
	C222	2000 Nov 15;44(2-3):119-34.	
	C223	SCHUH et al., Trials, tribulations, and trends in tumor modeling in mice. Toxicol Pathol. 2004 Mar-	
		Apr;32 Suppl 1:53-66.	
	C224	SCHWARTZ et al., Bacterial DNA or oligonucleotides containing unmethylated CpG motifs can	
		minimize lipopolysaccharide-induced inflammation in the lower respiratory tract through an IL-12-	
		dependent pathway. J Immunol. 1999 Jul 1;163(1):224-31.	
	C225	SCHWARZ et al., Role of Toll-like receptors in costimulating cytotoxic T cell responses. Eur J	
		Immunol. 2003 Jun;33(6):1465-70.	
	C226	SESTER et al., Phosphorothioate backbone modification modulates macrophage activation by CpG	
	C220	DNA. J Immunol. 2000 Oct 15;165(8):4165-73.	
	C227	SFONDRINI et al., Prevention of spontaneous mammary adenocarcinoma in HER-2/neu transgenic	
		mice by foreign DNA. FASEB J. 2002 Nov;16(13):1749-54.	
	C228	SHALABY, Development of oral vaccines to stimulate mucosal and systemic immunity: barriers and	
		novel strategies. Clin Immunol Immunopathol. 1995 Feb;74(2):127-34.	
		SHAO et al., CpG-containing oligodeoxynucleotide 1826 converts the weak uveitogenic rat	
	C229	interphotoreceptor retinoid-binding protein peptide 1181-1191 into a strong uveitogen. J Immunol.	
		2003 Nov 1;171(9):4780-5.	
	C230	SIEGRIST et al., Co-administration of CpG oligonucleotides enhances the late affinity maturation	
		process of human anti-hepatitis B vaccine response. Vaccine. 2004 Dec 16;23(5):615-22.	

EXAMINER:	DATE CONSIDERED:

<sup>#</sup> EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

FORM PTO-1449/A and B (modified PTO/SB/08)  INFORMATION DISCLOSURE				APPLICATION NO.: 10/613,524	ATTY. DOCKET NO.: C1037.70042US00	
				FILING DATE: July 3, 2003 CONFIRMATION NO.: 4728		
STATEMENT BY APPLICANT				APPLICANT: Krieg et al.		
				CD OVER A DELIBERT 1645	PMAN (PMP) Observation A Complete	
Sheet	10	of	12	GROUP ART UNIT: 1645	EXAMINER: Oluwatosin A. Ogunbiyi	

	, SONEHARA et al., Hexamer palindromic oligonucleotides with 5'-CG-3' motif(s) induce production		
C2:	of interferon. J Interferon Cytokine Res. 1996 Oct; 16(10):799-803.		
C2:	<u> </u>		
	SDADWASSED at al. Immunostimulatory CrC alice de avernue le étides aguas autromadullare munino		
C2:	hemopoiesis. J Immunol. 1999 Feb 15;162(4):2368-74.		
C2:	SPARWASSER et al., Macrophages sense pathogens via DNA motifs: induction of tumor necrosis		
C2.	tactor-alpha-mediated shock. Eur J Immunol. 1997 Jul;27(7):1671-9.		
C2:	64.		
C2:	STEIN et al., Problems in interpretation of data derived from in vitro and in vivo use of antisense		
02.	oligodeoxynucleotides. Antisense Res Dev. 1994 Summer;4(2):67-9.		
	STOREY et al., Anti-sense phosphorothioate oligonucleotides have both specific and non-specific		
C2:			
	11;19(15):4109-14.		
C2:	SUN et al., Multiple effects of immunostimulatory DNA on T cells and the role of type I interferons.		
	Springer Semin Immunopathol. 2000;22(1-2):77-84.		
C2:	SUN et al., Type I interferon-mediated stimulation of T cells by CpG DNA. J Exp Med. 1998 Dec		
	21;188(12):2335-42.  THREADGILL et al., Mitogenic synthetic polynucleotides suppress the antibody response to a bacterial		
C24	polysaccharide. Vaccine. 1998 Jan;16(1):76-82.		
	TOKUNAGA et al., Synthetic oligonucleotides with particular base sequences from the cDNA		
C24			
	Microbiol Immunol. 1992;36(1):55-66.		
	TOVINAGA Personne of the organism to DNA. With a focus on immunostimulatory DNA Kansen		
C24	Ensho Meneki. 2001 Autumn; 31(3): 1-12. Japanese.	Y	
	TZAO et al., 5'CpG island hypermethylation and aberrant transcript splicing both contribute to the		
C24			
	Sep;40(14):2175-83.		
02	LIHI MANN et al. Recent advances in the development of immunostimulatory oligopucleatides. Curr		
C24	Opin Drug Discov Devel. 2003 Mar;6(2):204-17.		
C24	VERTHELYI et al., Human peripheral blood cells differentially recognize and respond to two distinct		
	CPG motifs. J immunol. 2001 Feb 15;166(4):2372-7.		
C24	VOLLMER et al., Characterization of three CpG oligodeoxynucleotide classes with distinct		
C2.	immunostimulatory activities. Eur J Immunol. 2004 Jan;34(1):251-62.		
C24	VOLLMER et al., Highly immunostimulatory CpG-free oligodeoxynucleotides for activation of human		
C2	leukocytes. Antisense Nucleic Acid Drug Dev. 2002 Jun; 12(3):165-75.		
C24	VOLLMER et al., Impact of modifications of heterocyclic bases in CpG dinucleotides on their		
C2*	immune-modulatory activity. J Leukoc Biol. 2004 Sep; 76(3):585-93. Epub 2004 Jun 24.		
C24	VOLLMER et al., Modulation of CpG oligodeoxynucleotide-mediated immune stimulation by locked		
	nucleic acid (LNA). Oligonucleotides. 2004 Spring;14(1):23-31.		
C2:			
C25	WAGNER, Interactions between bacterial CpG-DNA and TLR9 bridge innate and adaptive immunity.		
	Curr Opin Microbiol. 2002 Feb;5(1):62-9.		

EXAMINER:	DATE CONSIDERED:
	·

<sup>#</sup> EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

FORM PTO-1449/A and B (modified PTO/SB/08)			1 DTO/SB/08)	APPLICATION NO.: 10/613,524	ATTY. DOCKET NO.: C1037.70042US00
INFORMATION DISCLOSURE				FILING DATE: July 3, 2003	CONFIRMATION NO.: 4728
	STATEMENT BY APPLICANT			APPLICANT: Krieg et al.	
				CDOUD ART INUT. 1645	EVANDED. Obverterin A Countrie
Sheet	11	of	12	GROUP ART UNIT: 1645	EXAMINER: Oluwatosin A. Ogunbiyi

	WANG and Discounting COMA to be defined by March and Did 2007			
C25	WANG et al., Phosphorothioation of DNA in bacteria by dnd genes. Nat Chem Biol. 2007 Nov;3(11):709-10. Epub 2007 Oct 14. Supplementary information, 12 pages.			
C25	Mar;1(2):277-90.			
C25	WEERATNA et al., CpG DNA induces stronger immune responses with less toxicity than other adjuvants. Vaccine. 2000 Mar 6;18(17):1755-62.			
C25	WHITMORE et al. I PD linonolynley initiates a potent cytokine response and inhibits tumor growth			
C25	WHITMORE et al., Systemic administration of LPD prepared with CpG oligonucleotides inhibits the			
C25	WOHLLEBEN et al., Atopic disorders: a vaccine around the corner? Trends Immunol. 2001 Nov;22(11):618-26.			
C25	YAMADA et al., Effect of suppressive DNA on CpG-induced immune activation. J Immunol. 2002 Nov 15;169(10):5590-4.	-		
C25	YAMAMOTO et al., [Commemorative lecture of receiving Imamura Memorial Prize. II. Mode of action of oligonucleotide fraction extracted from Mycobacterium bovis BCG] Kekkaku. 1994 Sep;69(9):571-4. Japanese.	Y		
C26	YAMAMOTO et al., Ability of oligonucleotides with certain palindromes to induce interferon			
C26	YAMAMOTO et al., Lipofection of synthetic oligodeoxyribonucleotide having a palindromic sequence of AACGTT to murine splenocytes enhances interferon production and natural killer activity.  Microbiol Immunol. 1994;38(10):831-6.			
C26	YAMAMOTO et al., Synthetic oligonucleotides with certain palindromes stimulate interferon production of human peripheral blood lymphocytes in vitro. Jpn J Cancer Res. 1994 Aug;85(8):775-9.			
C26	YAMAMOTO et al., Unique palindromic sequences in synthetic oligonucleotides are required to			
C26	VI et al. CnG oligodeovyrihonycleotides rescue mature spleen B cells from spontoneous anontosis and			
C26	VI et al. Rapid induction of mitogen-activated protein kinases by immune stimulatory CnG DNA. I			
C26	VI et al. IFN-gamma promotes II -6 and IgM secretion in response to CnG motifs in bacterial DNA	<del></del>		
C26	VI et al. Rapid immune activation by CnG motifs in hacterial DNA. Systemic induction of U. 6			
C26	VII et al. Potent CnG oligonucleotides containing phosphodiester linkages: in vitro and in vivo	· ···		
C26	7 A ITSEVA et al. Interferon gamma and interleukin 6 modulate the susceptibility of macrophages to			
ZHANG et al., Antisense oligonucleotide inhibition of hepatitis C virus (HCV) gene expression in livers of mice infected with an HCV-vaccinia virus recombinant. Antimicrob Agents Chemother. 1999 Feb;43(2):347-53.				

EXAMINER:	DATE CONSIDERED:

<sup>#</sup> EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

			• •		
FORM PTO-1449/A and B (modified PTO/SB/08)				APPLICATION NO.: 10/613,524	ATTY. DOCKET NO.: C1037.70042US00
				FILING DATE: July 3, 2003	CONFIRMATION NO.: 4728
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				APPLICANT: Krieg et al.	
				GROUP ART UNIT: 1645	EXAMINER: Oluwatosin A. Ogunbiyi
Sheet	12	of	12	GROOF ART ONLY, 1043	LAAMINER. Oldwaldsiii A. Ogdiibiyi
		-		W 10-2-1-7-11-11-11-11-11-11-11-11-11-11-11-11	•

C271	ZHAO et al., Pattern and kinetics of cytokine production following administration of phosphorothioate oligonucleotides in mice. Antisense Nucleic Acid Drug Dev. 1997 Oct;7(5):495-502.
C272	ZIPS et al., New anticancer agents: in vitro and in vivo evaluation. In Vivo. 2005 Jan-Feb;19(1):1-7.

[NOTE – No copies of U.S. patents, published U.S. patent applications, or pending, unpublished patent applications stored in the USPTO's Image File Wrapper (IFW) system, are included. See 37 CFR §1.98 and 12870G163. Copies of all other patent(s), publication(s), unpublished, pending U.S. patent applications, or other information listed are provided as required by 37 CFR §1.98 unless 1) such copies were provided in an IDS in an earlier application that complies with 37 CFR §1.98, and 2) the earlier application is relied upon for an earlier filing date under 35 U.S.C. §120.]

EXAMINER:	DATE CONSIDERED:

<sup>#</sup> EXAMINER: Initial if reference considered, whetheror not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.